AEK

Technology 12844 Pierce St., Pacoima, CA 91331, USA · Tel: (818) 686-1445 Fax: (818) 686-144

CERTIFICATE OF COMPLIANCE

Invoice No.	Rev	Cust Order No.	
12408		AEK001/04	
Invoice Date		Order Date	
13 Aug 2	004	13 Aug 2004	

S
O ARAVIA S.A.
L DORREGO 651
D S2600GAI - VENADO TUERTO
T SANTA FE, ARGENTINA
O

S
H ARAVIA S.A.
I C/O ADVANCE INT'L FORWARDERS
P 3475 NW 114TH AVE.
T MIAMI, FL 33178-1847
O


Ship Date		Ship VIA		Special Billing/Acct #		Terms		F.O.B.	Sales
13 Aug	2004		UPS GRND			CREDIT	CARD	ORIGIN	GH
Shipment No	No of Carte	ons	Total Weight	Buyer's Name	Special I	nstruction			
1		2	105	Fernando			MFG	COFC	

Item	Part Number/Alternate	Description	CN		Quantity		Unit price	Extension
NO.				Ord	Ship	B/O		
1	NAS152-88	BOLT	FN	125	125	0		
	11/10/10/2 00	LOT# W802						
	REF 5509/1231021/3566							
		· ·						

CERTIFICATION

We certify that the material furnished on this order conforms in all respects to the current applicable government and/or manufacturer's specifications. Where materials or services have been procured by us from our vendors, we certify that we have complied with the requirements of the above referenced purchase order and suitable evidence or test reports have been obtained by us and are on file, available for examination at any reasonable time.

Chief Inspector QA Manager



HEARTLAND PRECISION FASTENERS INC

301 Prairie Village Dr. New Century, Kansas

Tele (913) 829-4447 Fax (913) 829-7282

Toll Free (877) 4HP-BOLT (447-2658)

HPILOT#

08200400009719

CAGE CODE: 0ZC92 CERTIFICATE OF CONFORMACE

HEARTLAND PRECISION FASTENERS, INC CERTIFIES THAT THE FASTENERS IN THIS SHIPMENT HAVE BEEN MANUFACTURED IN ACCORDANCE WITH HPFI'S QUALITY SYSTEM MANUAL, HPQM-001 REVISION C, APPLICABLE DRAWINGS AND SPECIFICATIONS, DIMENSIONAL, MECHANICAL, METALLURGICAL AND FINISH TESTS WERE PERFORMED AND CONFORM TO SAID SPECIFICATIONS. TRACEABILITY INFORMATION IS MAINTAINED AND ON FILE BY LOT NUMBER PER HPQP-018.

WE CERTIFY THAT THIS LOT WAS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA SOURCE CONTAMINATION AND OZONE DEPLETING SUBSTANCES PAGE 1 OF 1

			DEPLETING SUBS	IANCES.	PAGE 1 OF 1	
PART: MS20008-58	REVI	SION: NEW	LOT NO:	20398	CERT DATE	: 6/10/
DESCRIPTION:	BOLT, INTERNAL	WRENCHING			MFG. DATE	: 5/8/0
				IN-PROCESS IN	IT. DATE:	9/5/01
PROCUREMENT SPEC:	NAS4002	REVISION	: 8	HEADMARK:	MS20008	LOGO
MATERIAL SPEC:	MIL-S-6049 REVI			E: 8740	QUANTITY	
RAW MAT, CERT:SEE ATTACHED	HEAT: CW1			L CO. LTD.		562
		MECHANI	CAL TESTING			
ULTIMAT	E TENSILE STRENGTH		DOUBLE SI	HEAR STRENGTH	HAI	RDNESS
	POUNDS		P	OUNDS	ROCKW	ELL C SCAL
	27,834 27,962 28,433 28,448 28,723 28,891		39,266 40,115 39,479 39,541 39,217 39,648		38 38 37 39 40	
MIN: KA X1-KaS1	27,500 2.32 28,152		MIN: KA X1-KaS1	37,300 2.32 39,407	RE	Q'D. 36-40

METACLURGICAL TESTING NSPAICROSTRUCTURE: IRFACE CONTAMINATION **GRAIN FLOW: DISCONTINUITIES:** 5 5 STAMP SPECIAL PROCESSES: Web 6 PER MIL-H-6875 (H) SEE ATTACHED HEAT TREATMENT CADMIUM PLATE PER QQ-P-416 F(SEE ATTACHED) **FINISH** .3750-24 UNJF-3A PER MIL-S-8879 (C) **THREADS** REJECT ACCEPT: 80 0 MAGNETIC PARTICLE INSPECT PER ASTME 1444 NDT AUTHORIZED QUALITY REPRESENTA STAMP: JOHN L. TUCKER THE ORIGINAL OF THIS CERTIFICATE HAS A RAISED SEAL & SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL OF

HPF 1801 REV. A DATED 4/15/98

HPFI LABORATORY.

ISO 9002/AS 9000/BS EN 9002 REGISTERED

MADE IN THE UNITED STATES OF AMERICA

PRODUCTS COMPANY

AND FINISHERS OF METALS

TEL: (816)861-7500 FAX: (816)924-7300

CLITI INSPECTIO

40075

05/09/3

05/09/

PAULO NO. DATE

DATE RECEIVED

SHIP TO CODE

20398

CUSTOMER PO CUSTOMER DRAY **CUSTOMER JOB** LOT NUMBER

OTHER NUMBER

Requirements:

Process in accordance with MIL-H-6875-H, rev

Core hardness 36-40 HRC

HEARTLAND PRECISION FASTENERS INC 301 PRAIRIE VILLAGE DR DZ NEW CENTURY, KS 66031 TO

PART NAME PART NUMBER

SCREW. MS20008-58

YTITMAUL

5

8740

189.85 NET LBS

MATERIAL PROCESS SPECIFICATION

QUANTITY INSPECTED 5 NSPECTION RESULTSR/C 38.0-39.2

SERIAL NUMBERS AND REMARKS:

900° 90 MIN

I CERTIFY THAT APPLICABLE MATERIAL PROCESSES HAVE BEEN PERFORMED IN ACCORDANCE WITH THE SPECIFICATION SHOWN ABOVE I HAVE INSPECTED THE WORK AND THE SAMPLING AND RESULTS ARE AS INDICATED. THE ONLY TESTS PERFORMED BY PAULO ARE THOSE WITH RESULTS LISTED ON THIS DOCUMENT.

2.17

INSPECTOR

CHQ-FORM-63 8/2000

ORIGINAL



Technology 12844 Pierce St., Pacoima, CA 91331, USA · Tel: (818) 686-1445 Fax: (818) 686-144

CERTIFICATE OF COMPLIANCE

| Novice No. | Rev | Cust Order No. | AEKOO1/04 | Invoice Date | Order Date | 13 Aug 2004 | 13 Aug 2004 | 14 Aug 2004 | 15 Aug 2004 | 16 Aug 2004 | 17 Aug 2004 | 18 Aug 2

S
O ARAVIA S.A.
L DORREGO 651
D S2600GAI - VENADO TUERTO
T SANTA FE, ARGENTINA
O

S
H ARAVIA S.A.
I C/O ADVANCE INT'L FORWARDERS
P 3475 NW 114TH AVE.
T MIAMI, FL 33178-1847

Ship Date		Ship VIA		Special Billing/Acct #		Terms	F.O.B.	Sales
13 Aug 2	004	U	PS GRND			CREDIT CARD	ORIGIN	GH
Shipment No	No of Carto	ons	Total Weight	Buyer's Name	Special Ir	nstruction		
1		2	105	Fernando		MFG	COFC	

Item	Part Number/Alternate	Description	CN		Quantity	,	Unit price	Extension
NO.				Ord	Ship	B/O		
1	NAS152-88	BOLT LOT# W802	FN	125	125	0		
	REF 5509/1231021/3566							

CERTIFICATION

We certify that the material furnished on this order conforms in all respects to the current applicable government and/or manufacturer's specifications. Where materials or services have been procured by us from our vendors, we certify that we have complied with the requirments of the above referenced purchase order and suitable evidence or test reports have been obtained by us and are on file, available for examination at any reasonable time.

Chief Inspector QA Manager

L & M ENTERPRISES, INC. 1910 NORTHERN WICHITA, KS 67216

PART NO. NAS152-88	PRO. SPEC.	NAS159	CUSTOMER: CESS	NA
LOT NO. W802	HEAT NO.	8096000	QTY ACCEPTED: 2	95 66
FINISH SPEC QQP-416F TYPE II CLASS &	I HEAT I TREAT I MIL-H-6875H	R.C. 37-39	SAMPLE SIZE 13	I DECARB I I NONE NOTED I I I
I STRESS I RUPTURE I I N/A	STRESS DURABLITITY N/A 	THD. SPEC MIL-S-8879 	NDT # 	MICRO MOLD # FIT-01-23- 84392 MACRO MOLD # g456j922

TENSILE		SHEAR/DBL	SHEAR	FATIGUE	CYCLES TO
SAMPLE 1	TENSILE LOAD LBS 73,420	SAMPLE 1	SHEAR LOAD LBS 95,840	SAMPLE 1	FAILURE
5	71,870	5	97,240	2	N/A
3		3		3	
4		4		4	
5		5		5	
6	s and dark and the god and the the top top top and the top top to the top	6		6	
7	a cala cast and table data and table and	7	·	7	
8		8		AV6	
REQ	55,600	REQ	83,900	REQ AVG	

WE CERTIFY THE PARTS MANUFACTURED IN THIS LOT WERE PRODUCED IN ACCORDANCE WITH CURRENT APPLICABLE PROCUREMENT SPECIFICATION AND PURCHASE ORDER REQUIREMENTS.

FORM LM001-QC

QUALITY ASSURANCE